

Date: Friday, 6/22/2007 10:12:01 AM  
 User: Kim Johnston

## Process Sheet

|                       |                                       |                  |                    |
|-----------------------|---------------------------------------|------------------|--------------------|
| Customer              | : CU-DAR001 Dart Helicopters Services | Drawing Name     | : SHOULDER HARNESS |
| Job Number            | : 33102                               |                  |                    |
| Estimate Number       | : 12851                               |                  |                    |
| P.O. Number           | : N/A                                 | Part Number      | : D3579047         |
| This Issue            | : 6/22/2007 S.O. No. : N/A            | Drawing Number   | : D3579 REV B      |
| Prsht Rev.            | : NC                                  | Project Number   | : N/A              |
| First Issue           | : N/A                                 | Drawing Revision | : B                |
| Previous Run          | : 32562                               | Material         | : N/A              |
|                       |                                       | Due Date         | : 7/13/2007        |
| Written By            | :                                     | Qty:             | 20 Um: Each        |
| Checked & Approved By | : <u>07.06.22</u>                     |                  |                    |
| Comment               | : Est Rev: A New Issue 07-04-27 JLM   |                  |                    |

Additional Product

Job Number:



|         |                       |               |
|---------|-----------------------|---------------|
| Seq. #: | Machine Or Operation: | Description : |
|---------|-----------------------|---------------|

|     |    |            |
|-----|----|------------|
| 1.0 | PG | PURCHASING |
|-----|----|------------|



Comment: PURCHASING

Issue P/O:

4025

P/N: 5-01-2M5701

C 207/06/22

Possible supplier: Schoth Safty Products

Certificate of conformaty is required

(20)

|     |           |                     |
|-----|-----------|---------------------|
| 2.0 | 5012M5701 | SHOULDER HARNESS LH |
|-----|-----------|---------------------|



Comment: Qty.: 1.0000 Each(s)/Unit Total : 20.0000 Each(s)  
 SHOULDER HARNESS LH

|     |             |                       |
|-----|-------------|-----------------------|
| 3.0 | PACKAGING 1 | PACKAGING RESOURCE #1 |
|-----|-------------|-----------------------|



Comment: PACKAGING RESOURCE #1

Receive &amp; Inspect For Transit Damage

Ensure certificate of conformity is attached

E 207/07/12 (20)

|     |     |                              |
|-----|-----|------------------------------|
| 4.0 | QC5 | INSPECT WORK TO CURRENT STEP |
|-----|-----|------------------------------|



Comment: INSPECT WORK TO CURRENT STEP

C 207/07/16

All measured

(20)

|     |             |                       |
|-----|-------------|-----------------------|
| 5.0 | PACKAGING 1 | PACKAGING RESOURCE #1 |
|-----|-------------|-----------------------|



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

C 7/7/19 (20)

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: LD Date: 04/07/23  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

NOTE: Date & initial all entries

Date: Friday, 6/22/2007 10:12:02 AM

User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SHOULDER HARNESS

Job Number: 33102

Part Number: D3579047

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



07.07.20

*[Signature]*

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



*U 07-07-19*

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

**DART**

|                     |                           |   |                        |
|---------------------|---------------------------|---|------------------------|
| DESIGN<br><i>LE</i> | DRAWN BY<br><i>LE</i>     | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                        |
| CHECKED<br><i>B</i> | APPROVED<br><i>H</i>      | DRAWING NO.<br>D3579                              | REV. B<br>SHEET 1 OF 4 |
| DATE<br>07.06.01    | TITLE<br>SHOULDER HARNESS |   | SCALE<br>NTS           |
| A                   | 07.01.12                  | NEW ISSUE   |                        |
| B                   | 07.06.01                  | CHG REEL FOR -045/-046/-047/-048                  |                        |

## SPECIFICATION CONTROL DRAWING



### D3579-041 SHOULDER HARNESS (SHOWN) D3579-042 SHOULDER HARNESS (OPPOSITE)

#### D3579-041/-042 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-02-9C5901 (D3579-041)  
P/N 5-02-9C0901 (D3579-042)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, FL.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-041/-042"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 33102


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

|                               |                                |   |                        |
|-------------------------------|--------------------------------|---|------------------------|
| DESIGN<br><i>LE</i>           | DRAWN BY<br><i>LE</i>          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                        |
| CHECKED<br><i>[Signature]</i> | APPROVED<br><i>[Signature]</i> | DRAWING NO.<br>D3579                              | REV. B<br>SHEET 2 OF 4 |
| DATE<br>07.06.01              | TITLE<br>SHOULDER HARNESS      |   | SCALE<br>NTS           |

## SPECIFICATION CONTROL DRAWING



### D3579-043 SHOULDER HARNESS (SHOWN) D3579-044 SHOULDER HARNESS (OPPOSITE)

#### D3579-043/-044 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-02-9L5901 (D3579-043)  
P/N 5-02-9L0901 (D3579-044)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, FL.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-043/-044"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 33102


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                               |                                |   |                        |
|-------------------------------|--------------------------------|---|------------------------|
| DESIGN<br><i>LE</i>           | DRAWN BY<br><i>LE</i>          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                        |
| CHECKED<br><i>[Signature]</i> | APPROVED<br><i>[Signature]</i> | DRAWING NO.<br>D3579                              | REV. B<br>SHEET 3 OF 4 |
| DATE<br>07.06.01              |                                | TITLE<br>SHOULDER HARNESS                         | SCALE<br>NTS           |

## SPECIFICATION CONTROL DRAWING



### D3579-045 SHOULDER HARNESS (SHOWN) D3579-046 SHOULDER HARNESS (OPPOSITE)

#### D3579-045/-046 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-01-2J5701 (D3579-045)  
P/N 5-01-2J0701 (D3579-046)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, FL.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-045/-046"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 33102


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



|                               |                                |   |                        |
|-------------------------------|--------------------------------|---|------------------------|
| DESIGN<br><i>LE</i>           | DRAWN BY<br><i>LE</i>          | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |                        |
| CHECKED<br><i>[Signature]</i> | APPROVED<br><i>[Signature]</i> | DRAWING NO.<br>D3579                              | REV. B<br>SHEET 4 OF 4 |
| DATE<br>07.06.01              |                                | TITLE<br>SHOULDER HARNESS                         | SCALE<br>NTS           |

## SPECIFICATION CONTROL DRAWING



### D3579-047 SHOULDER HARNESS (SHOWN) D3579-048 SHOULDER HARNESS (OPPOSITE)

#### D3579-047/-048 HARNESS ASSEMBLY NOTES:

- 1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE  
MEETS REQUIREMENTS OF TSO-C114  
CHROME HARDWARE PLATING AND BLACK WEBBING
- 2) PURCHASE INFO: P/N 5-01-2M5701 (D3579-047)  
P/N 5-01-2M0701 (D3579-048)  
SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.
- 3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS  
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-047/-048"
- 4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 33102

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



# Packing Slip

5125

**SCHROTH®**  
SAFETY PRODUCTS

**Schroth Safety Products Corp.**

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

**Bill To**

DART Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7  
Canada

Phone: 613-632-3336 Fax: 613-632-4443

**Ship To**

DART Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7  
Canada

7/11/2007

**Order-  
Line**

**Description**

**Qty**

DAR07011-1 5-01-2M0701RevA restraint,3-  
pt,rh,reel,601black,P/N D3579-  
048

20 ea

DART AEROSPACE LTD, 613-632-3336 P/N  
D3579-048

DAR07011-2 5-01-2M5701RevA restraint,3-  
pt,lh,reel,601black,P/N D3579-047

20 ea

DART AEROSPACE LTD, 613-632-3336 P/N  
D3579-047

**Aircraft SN:** Bell 205/212/412

Plating P.O.:

Webbing: 601 Black

PO: PO00004025

**Notes:**

DAR07011

**Ship Via:**

Fedex Int'l P1

**FOB:**

SCHROTH Safety Products Corp.  
MATERIAL ACCEPTANCE TAG

|                   |   |           |                   |
|-------------------|---|-----------|-------------------|
| Part Number:      | 5-01-2M5701RevA                                     | Quantity: | 20                |
| Serial Number:    | 07/07   |           |                   |
| Part Description: | restraint, 3-pt, lh, reel, 601 black, P/N D3579-047 |           |                   |
| P.O./W.O. #       | DAR07011-2  |           |                   |
| Vendor/Shop:      | Shop - SW   |           |                   |
| Inspector:        | J. Mansilla   | Approval  | SSPC<br>QC<br>006 |
| Date:             | 7/10/07   |           |                   |

Form FQA 2000-3 Rev IR 11/00

Operating National Aviation  
Authority/Country:

UNITED STATES

Organization Name and Address:

PT 1662CE

Schroth Safety Products, Corp. 1371 S.W. 8<sup>th</sup> St. Unit # 3. Pompano Beach FL, 33069

# AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:

DAR07011-2

5. Work Order/Contract/Invoice  
Number:

DAR07011-2

| 6. Item: | 7. Description:                   | 8. Part Number: | 9. Eligibility:* | 10. Quantity: | 11. Serial/Batch Number:<br>Date Mfg.:07/07 | 12. Status/Work: |
|----------|-----------------------------------|-----------------|------------------|---------------|---|------------------|
| 1        | Restraint,3-pt.,lh,reel,601 black | 5-01-2M5701RevA | N/A              | 20            |   | NEW              |

13. Remarks:

EXPORT TO CANADA

END

14. Certifies the items identified above were manufactured in conformity to:

- ☒ Approved design data and are in a condition for safe operation.  
☐ Non-approved design data specified in Block 13.

19. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 13

Certifies that unless otherwise specified in block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

15. Authorized Signature:

16. Approval/Authorization No.:  
DMIR-511304-CE

20. Authorized Signature:

21. Approval/Certificate No.:

17. Name (Typed or Printed):

Anthony B. LaPointe

18. Date (m/d/y):

Jul/11/2007

22. Name (Typed or Printed):

23. Date (m/d/y):

## User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

5125

# Packing Slip

**SCHROTH**  
SAFETY PRODUCTS**Schroth Safety Products Corp.**

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

**Certificate of Conformance**

Schroth Safety Products Corp. hereby certifies that the item(s)/part(s) listed above has/have been manufactured from material/hardware using practices, methods, processes and manufacturing procedures set forth by applicable documentation, specification, drawings and customer requirements. We further certify that the item(s)/part(s) are manufactured in accordance with applicable drawings or specifications current on the date on which the order was placed. Test reports covering materials in these parts and indicating conformance with applicable specifications are on file and subject to examination.

Quality

Date

7/11/07

Date of Manufacture

07/07

The conditions and tests required for TSO approval of this article(s) are minimum performance standards. It is the responsibility of those desiring to install the article either on or within a specific type or class of aircraft to determine that the aircraft installation conditions are within the TSO standards. If not within the TSO standards, the article may be installed only if further evaluation by the applicant documents an acceptable installation and is approved by the Administrator.